

Revised 12/03

CORRES CONTROL
INCOMING LTR NO

00170RF04

DUE DATE

ACTION

DIST	LTR/EN
BERARDINI, J H	X
BOGNAR, E S	X
BROOKS, L	X
BUTLER, L	X
CARPENTER, M	X
CROCKETT, G A	X
DECK, C A	X
DEGENHART, K R	X
DIETER, T J	X
DIETERLE, S E	X
FERRERA, D W	X
GIACOMINI, J J	X
LINDSAY, D C	X
LONG, J W	X
LYLE, J L	X
MARTINEZ, L A	X
NAGEL, R E	X
NESTA, S	X
NORTH, K	X
PARKER, A M	X
RODGERS, A D	X
SHELTON, D C	X
SPEARS, M S	X
PIZZUTO, V M	X
TUOR, M R	X
WEMELT, K	X
WILLIAMS, J L	X
ZAHM, C	X
Freiboth, C	X
Tobias, M	X

COR. CONTROL	X
ADMIN RECORD	X
PATS/130	

Reviewed for Addressee
Corres Control RFP

Date By

Ref Ltr #

DOE ORDER #

5400.1

RECEIVED

2004 APR -6 P 1:05

CORRESPONDENCE
CONTROL

STATE OF COLORADO

Bill Owens Governor
Douglas H. Benevento, Executive Director

Dedicated to protecting and improving the health and environment of the people of Colorado

4300 Cherry Creek Dr S
Denver, Colorado 80246-1530
Phone (303) 692-2000
TDD Line (303) 691-7700
Located in Glendale, Colorado

Laboratory and Radiation Services Division
8100 Lowry Blvd
Denver, Colorado 80230 6928
(303) 692-3090

<http://www.cdphe.state.co.us>



Colorado Department
of Public Health
and Environment

March 29, 2004

Mr Joe Legare

Acting Assistant Manager for Environment and Stewardship

U S Department of Energy, Rocky Flats Field Office

10808 Highway 93, Unit A

Golden, CO 80403-8200

RE. Closeout Report for Building 549

Dear Mr Legare

The Colorado Department of Public Health and Environment, Hazardous Materials and Waste Management Division has reviewed your letter and the Closeout Report for Building 549, dated March 22, 2004. Thank you for providing this information to us.


If you have any questions regarding this correspondence please contact me at (303) 692-3367 or David Kruchek at (303) 692-3328.

Sincerely,

Steven H Gunderson
RFCA Project Coordinator

cc Gary Morgan, DOE
Mark Aguilar, EPA
Steve Nesta, KH

Cameron Freiboth, KH
Dave Shelton, KH
Administrative Records Building T130G



ADMIN RECORD

DOCUMENT CLASSIFICATION
REVIS
CLASS

IA-A-002045